

IK EC I 25000-26999 GAL NP  
) Compartment: 1

Shell Full: 25518  
2% Outage: 510

Inches	0 Feet	1 Foot	2 Feet	3 Feet	4 Feet	5 Feet	6 Feet	7 Feet
0.00	0	1826	4581	7840	11360	14946	18413	21558
0.25	22	1876	4645	7911	11434	15020	18482	21618
0.50	45	1926	4709	7983	11509	15094	18552	21678
0.75	69	1977	4773	8054	11584	15168	18621	21738
1.00	93	2028	4837	8126	11658	15242	18690	21798
1.25	119	2080	4902	8198	11733	15316	18759	21857
1.50	146	2132	4967	8270	11808	15390	18828	21916
1.75	173	2184	5031	8342	11883	15463	18897	21975
2.00	202	2236	5097	8414	11958	15537	18965	22034
2.25	231	2289	5162	8486	12033	15611	19034	22092
2.50	261	2343	5228	8558	12107	15684	19102	22150
2.75	291	2396	5293	8631	12182	15758	19170	22208
3.00	323	2450	5359	8703	12257	15831	19238	22265
3.25	355	2504	5425	8776	12332	15904	19306	22322
3.50	388	2559	5492	8849	12407	15978	19373	22379
3.75	421	2614	5558	8921	12482	16051	19441	22436
4.00	455	2669	5625	8994	12557	16124	19508	22492
4.25	490	2725	5692	9067	12632	16197	19575	22548
4.50	525	2780	5759	9140	12707	16270	19642	22604
4.75	561	2837	5826	9213	12781	16343	19709	22659
5.00	598	2893	5893	9286	12856	16416	19775	22714
5.25	635	2950	5961	9360	12931	16488	19842	22769
5.50	673	3007	6028	9433	13006	16561	19908	22824
5.75	711	3064	6096	9506	13081	16634	19974	22878
6.00	750	3121	6164	9580	13156	16706	20040	22931
6.25	789	3179	6232	9653	13231	16778	20105	22985
6.50	829	3237	6301	9727	13306	16851	20171	23038
6.75	870	3296	6369	9801	13381	16923	20236	23091
7.00	911	3355	6438	9874	13455	16995	20301	23143
7.25	952	3414	6507	9948	13530	17067	20366	23195
7.50	994	3473	6576	10022	13605	17139	20431	23247
7.75	1036	3532	6645	10096	13680	17211	20495	23299
8.00	1079	3592	6714	10170	13754	17282	20560	23350
8.25	1123	3652	6783	10244	13829	17354	20624	23400
8.50	1167	3712	6853	10318	13904	17425	20687	23451
8.75	1211	3773	6922	10392	13978	17496	20751	23501
9.00	1256	3834	6992	10466	14053	17568	20814	23550
9.25	1301	3895	7062	10540	14128	17639	20878	23599
9.50	1347	3956	7132	10615	14202	17710	20941	23648
9.75	1393	4017	7202	10689	14277	17781	21003	23697
10.00	1439	4079	7273	10763	14351	17851	21066	23745
10.25	1486	4141	7343	10838	14426	17922	21128	23792
10.50	1533	4203	7414	10912	14500	17993	21190	23840
10.75	1581	4266	7484	10987	14575	18063	21252	23886
11.00	1629	4328	7555	11061	14649	18133	21314	23933
11.25	1678	4391	7626	11136	14723	18203	21375	23979
11.50	1727	4454	7697	11210	14797	18273	21436	24024
11.75	1776	4517	7768	11285	14872	18343	21497	24069

ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.

# WCHX 25258

## O U T A G E GAUGE TABLE

Page 37

ANK EC I 25000-26999 GAL NP  
19 Compartment: 1

Shell Full: 25518  
2% Outage: 510

Inches	8 Feet	9 Feet
0.00	24114	25497
0.25	24158	25502
0.50	24202	25507
0.75	24245	25510
1.00	24288	25513
1.25	24330	25515
1.50	24372	25517
1.75	24414	25518
2.00	24455	25518
2.25	24495	25518
2.50	24535	
2.75	24574	
3.00	24613	
3.25	24651	
3.50	24689	
3.75	24726	
4.00	24763	
4.25	24799	
4.50	24834	
4.75	24869	
5.00	24903	
5.25	24936	
5.50	24969	
5.75	25001	
6.00	25033	
6.25	25063	
6.50	25093	
6.75	25123	
7.00	25151	
7.25	25179	
7.50	25206	
7.75	25232	
8.00	25256	
8.25	25281	
8.50	25304	
8.75	25326	
9.00	25347	
9.25	25366	
9.50	25384	
9.75	25401	
10.00	25417	
10.25	25431	
10.50	25444	
10.75	25456	
11.00	25466	
11.25	25475	
11.50	25484	
11.75	25491	

### ATTENTION

Measurements made using these tables should be verified initially by comparing to metered quantity of product or other means (such as weight). Capacities shown indicate US gallons out of tank at given outage dimension measured from inside top of shell to liquid level at center of tank.