

Gauge Table for WCHX 23231												Page #1
Outage	2% Outage	Shell Full	Inches	US Gallons	Inches	US Gallons	Inches	US Gallons	Inches	US Gallons	Inches	US Gallons
O	473	23642	0		24	4194	48	10459	72	16997	96	22300
O	473	23642	0.25	19	24.25	4253	48.25	10528	72.25	17062	96.25	22341
O	473	23642	0.5	39	24.5	4312	48.5	10598	72.5	17126	96.5	22382
O	473	23642	0.75	60	24.75	4371	48.75	10667	72.75	17191	96.75	22423
O	473	23642	1	82	25	4430	49	10736	73	17255	97	22463
O	473	23642	1.25	105	25.25	4490	49.25	10805	73.25	17319	97.25	22502
O	473	23642	1.5	129	25.5	4549	49.5	10875	73.5	17383	97.5	22542
O	473	23642	1.75	153	25.75	4609	49.75	10944	73.75	17446	97.75	22580
O	473	23642	2	179	26	4669	50	11013	74	17510	98	22619
O	473	23642	2.25	205	26.25	4730	50.25	11082	74.25	17574	98.25	22657
O	473	23642	2.5	232	26.5	4790	50.5	11152	74.5	17637	98.5	22694
O	473	23642	2.75	259	26.75	4851	50.75	11221	74.75	17700	98.75	22731
O	473	23642	3	288	27	4912	51	11290	75	17763	99	22767
O	473	23642	3.25	317	27.25	4973	51.25	11360	75.25	17826	99.25	22803
O	473	23642	3.5	346	27.5	5034	51.5	11429	75.5	17889	99.5	22839
O	473	23642	3.75	377	27.75	5095	51.75	11499	75.75	17952	99.75	22874
O	473	23642	4	407	28	5157	52	11568	76	18014	100	22908
O	473	23642	4.25	439	28.25	5219	52.25	11637	76.25	18076	100.25	22942
O	473	23642	4.5	471	28.5	5280	52.5	11707	76.5	18138	100.5	22975
O	473	23642	4.75	504	28.75	5342	52.75	11776	76.75	18200	100.75	23008
O	473	23642	5	537	29	5405	53	11846	77	18262	101	23040
O	473	23642	5.25	571	29.25	5467	53.25	11915	77.25	18324	101.25	23072
O	473	23642	5.5	605	29.5	5529	53.5	11984	77.5	18385	101.5	23103
O	473	23642	5.75	640	29.75	5592	53.75	12054	77.75	18447	101.75	23133
O	473	23642	6	675	30	5655	54	12123	78	18508	102	23163
O	473	23642	6.25	711	30.25	5718	54.25	12192	78.25	18569	102.25	23192
O	473	23642	6.5	747	30.5	5781	54.5	12262	78.5	18630	102.5	23221
O	473	23642	6.75	784	30.75	5844	54.75	12331	78.75	18690	102.75	23249
O	473	23642	7	822	31	5908	55	12400	79	18751	103	23276
O	473	23642	7.25	859	31.25	5971	55.25	12470	79.25	18811	103.25	23302
O	473	23642	7.5	898	31.5	6035	55.5	12539	79.5	18871	103.5	23328
O	473	23642	7.75	936	31.75	6099	55.75	12608	79.75	18931	103.75	23353
O	473	23642	8	976	32	6163	56	12677	80	18991	104	23377
O	473	23642	8.25	1015	32.25	6227	56.25	12747	80.25	19050	104.25	23400

WCHX 23231											Page #2	
O	473	23642	8.5	1055	32.5	6291	56.5	12816	80.5	19109	104.5	23422
O	473	23642	8.75	1096	32.75	6355	56.75	12885	80.75	19168	104.75	23444
O	473	23642	9	1137	33	6420	57	12954	81	19227	105	23465
O	473	23642	9.25	1178	33.25	6484	57.25	13023	81.25	19286	105.25	23484
O	473	23642	9.5	1220	33.5	6549	57.5	13092	81.5	19345	105.5	23503
O	473	23642	9.75	1262	33.75	6614	57.75	13162	81.75	19403	105.75	23520
O	473	23642	10	1305	34	6679	58	13231	82	19461	106	23536
O	473	23642	10.25	1347	34.25	6744	58.25	13300	82.25	19519	106.25	23551
O	473	23642	10.5	1391	34.5	6809	58.5	13369	82.5	19577	106.5	23564
O	473	23642	10.75	1435	34.75	6874	58.75	13438	82.75	19634	106.75	23576
O	473	23642	11	1479	35	6940	59	13506	83	19691	107	23587
O	473	23642	11.25	1523	35.25	7005	59.25	13575	83.25	19749	107.25	23597
O	473	23642	11.5	1568	35.5	7071	59.5	13644	83.5	19805	107.5	23605
O	473	23642	11.75	1613	35.75	7137	59.75	13713	83.75	19862	107.75	23613
O	473	23642	12	1659	36	7203	60	13782	84	19918	108	23619
O	473	23642	12.25	1705	36.25	7269	60.25	13850	84.25	19974	108.25	23625
O	473	23642	12.5	1751	36.5	7335	60.5	13919	84.5	20030	108.5	23630
O	473	23642	12.75	1798	36.75	7401	60.75	13988	84.75	20086	108.75	23633
O	473	23642	13	1845	37	7467	61	14056	85	20142	109	23636
O	473	23642	13.25	1892	37.25	7534	61.25	14125	85.25	20197	109.25	23639
O	473	23642	13.5	1939	37.5	7600	61.5	14193	85.5	20252	109.5	23640
O	473	23642	13.75	1987	37.75	7667	61.75	14261	85.75	20306	109.75	23641
O	473	23642	14	2036	38	7734	62	14330	86	20361	110	23642
O	473	23642	14.25	2084	38.25	7800	62.25	14398	86.25	20415	110.25	23642
O	473	23642	14.5	2133	38.5	7867	62.5	14466	86.5	20469	110.5	
O	473	23642	14.75	2182	38.75	7934	62.75	14534	86.75	20523	110.75	
O	473	23642	15	2232	39	8001	63	14602	87	20576	111	
O	473	23642	15.25	2282	39.25	8068	63.25	14670	87.25	20629	111.25	
O	473	23642	15.5	2332	39.5	8136	63.5	14738	87.5	20682	111.5	
O	473	23642	15.75	2382	39.75	8203	63.75	14806	87.75	20735	111.75	
O	473	23642	16	2433	40	8270	64	14874	88	20787	112	
O	473	23642	16.25	2484	40.25	8338	64.25	14942	88.25	20840	112.25	
O	473	23642	16.5	2536	40.5	8405	64.5	15009	88.5	20891	112.5	
O	473	23642	16.75	2587	40.75	8473	64.75	15077	88.75	20943	112.75	
O	473	23642	17	2639	41	8541	65	15145	89	20994	113	
O	473	23642	17.25	2691	41.25	8608	65.25	15212	89.25	21045	113.25	

WCHX 23231												Page #3
O	473	23642	17.5	2744	41.5	8676	65.5	15279	89.5	21096	113.5	
O	473	23642	17.75	2796	41.75	8744	65.75	15347	89.75	21146	113.75	
O	473	23642	18	2849	42	8812	66	15414	90	21196	114	
O	473	23642	18.25	2903	42.25	8880	66.25	15481	90.25	21246	114.25	
O	473	23642	18.5	2956	42.5	8948	66.5	15548	90.5	21296	114.5	
O	473	23642	18.75	3010	42.75	9016	66.75	15615	90.75	21345	114.75	
O	473	23642	19	3064	43	9085	67	15682	91	21394	115	
O	473	23642	19.25	3118	43.25	9153	67.25	15748	91.25	21442	115.25	
O	473	23642	19.5	3173	43.5	9221	67.5	15815	91.5	21491	115.5	
O	473	23642	19.75	3227	43.75	9290	67.75	15882	91.75	21539	115.75	
O	473	23642	20	3282	44	9358	68	15948	92	21586	116	
O	473	23642	20.25	3338	44.25	9426	68.25	16015	92.25	21634	116.25	
O	473	23642	20.5	3393	44.5	9495	68.5	16081	92.5	21680	116.5	
O	473	23642	20.75	3449	44.75	9564	68.75	16147	92.75	21727	116.75	
O	473	23642	21	3505	45	9632	69	16213	93	21773	117	
O	473	23642	21.25	3561	45.25	9701	69.25	16279	93.25	21819	117.25	
O	473	23642	21.5	3618	45.5	9770	69.5	16345	93.5	21865	117.5	
O	473	23642	21.75	3674	45.75	9839	69.75	16411	93.75	21910	117.75	
O	473	23642	22	3731	46	9907	70	16476	94	21955	118	
O	473	23642	22.25	3788	46.25	9976	70.25	16542	94.25	21999	118.25	
O	473	23642	22.5	3845	46.5	10045	70.5	16607	94.5	22043	118.5	
O	473	23642	22.75	3903	46.75	10114	70.75	16673	94.75	22087	118.75	
O	473	23642	23	3961	47	10183	71	16738	95	22130	119	
O	473	23642	23.25	4019	47.25	10252	71.25	16803	95.25	22173	119.25	
O	473	23642	23.5	4077	47.5	10321	71.5	16868	95.5	22216	119.5	
O	473	23642	23.75	4135	47.75	10390	71.75	16933	95.75	22258	119.75	