

# Gauge Table for WCHX 23304

Total U.S. Gallons	23649						
Total Inches	108						
Capacity Table	10411						
OUTAGE (inches)	GALLONS	OUTAGE	GALLONS	OUTAGE	GALLONS	OUTAGE	GALLONS
0	0	27.25	5191	54.5	12676	81.75	19883
0.25	21	27.5	5254	54.75	12747	82	19940
0.5	43	27.75	5318	55	12818	82.25	19997
0.75	66	28	5381	55.25	12889	82.5	20054
1	90	28.25	5445	55.5	12959	82.75	20111
1.25	114	28.5	5445	55.75	13030	83	20168
1.5	140	28.75	5445	56	13100	83.25	20224
1.75	167	29	5445	56.25	13171	83.5	20280
2	194	29.25	5445	56.5	13242	83.75	20336
2.25	222	29.5	5445	56.75	13312	84	20392
2.5	251	29.75	5445	57	13382	84.25	20447
2.75	280	30	5445	57.25	13453	84.5	20502
3	310	30.25	5445	57.5	13523	84.75	20557
3.25	341	30.5	5445	57.75	13594	85	20611
3.5	373	30.75	5445	58	13664	85.25	20665
3.75	405	31	5445	58.25	13734	85.5	20719
4	438	31.25	5445	58.5	13804	85.75	20773
4.25	471	31.5	5445	58.75	13875	86	20826
4.5	505	31.75	5445	59	13945	86.25	20880
4.75	540	32	5445	59.25	14015	86.5	20932
5	575	32.25	5445	59.5	14085	86.75	20985
5.25	610	32.5	5445	59.75	14155	87	21037
5.5	647	32.75	5445	60	14225	87.25	21089
5.75	683	33	5445	60.25	14294	87.5	21140
6	721	33.25	5445	60.5	14364	87.75	21192
6.25	758	33.5	5445	60.75	14434	88	21243
6.5	797	33.75	5445	61	14504	88.25	21293
6.75	836	34	5445	61.25	14573	88.5	21344
7	875	34.25	5445	61.5	14643	88.75	21394
7.25	915	34.5	5445	61.75	14712	89	21443
7.5	955	34.75	5445	62	14781	89.25	21493
7.75	995	35	5445	62.25	14851	89.5	21542
8	1037	35.25	5445	62.5	14920	89.75	21590
8.25	1078	35.5	5445	62.75	14989	90	21639
8.5	1120	35.75	5445	63	15058	90.25	21687
8.75	1163	36	5445	63.25	15127	90.5	21734
9	1206	36.25	5445	63.5	15196	90.75	21782
9.25	1249	36.5	5445	63.75	15265	91	21829
9.5	1293	36.75	5445	64	15334	91.25	21875
9.75	1337	37	5445	64.25	15402	91.5	21921
10	1381	37.25	5445	64.5	15471	91.75	21967
10.25	1426	37.5	5445	64.75	15539	92	22012
10.5	1472	37.75	5445	65	15608	92.25	22057
10.75	1517	38	5445	65.25	15676	92.5	22102

Gauge Table for WCHX 23304

OUTAGE (inches)	GALLONS	OUTAGE	GALLONS	OUTAGE	GALLONS	OUTAGE	GALLONS
11	1563	38.25	8106	65.5	15744	92.75	22146
11.25	1610	38.5	8175	65.75	15812	93	22190
11.5	1657	38.75	8243	66	15880	93.25	22233
11.75	1704	39	8312	66.25	15948	93.5	22276
12	1752	39.25	8381	66.5	16016	93.75	22319
12.25	1800	39.5	8450	66.75	16084	94	22361
12.5	1848	39.75	8520	67	16152	94.25	22403
12.75	1896	40	8589	67.25	16219	94.5	22444
13	1945	40.25	8658	67.5	16286	94.75	22485
13.25	1995	40.5	8728	67.75	16354	95	22525
13.5	2044	40.75	8797	68	16421	95.25	22565
13.75	2094	41	8867	68.25	16488	95.5	22604
14	2145	41.25	8936	68.5	16555	95.75	22643
14.25	2195	41.5	9006	68.75	16622	96	22682
14.5	2246	41.75	9076	69	16688	96.25	22720
14.75	2298	42	9145	69.25	16755	96.5	22757
15	2349	42.25	9215	69.5	16821	96.75	22794
15.25	2401	42.5	9285	69.75	16888	97	22830
15.5	2453	42.75	9355	70	16954	97.25	22866
15.75	2506	43	9425	70.25	17020	97.5	22902
16	2559	43.25	9495	70.5	17086	97.75	22936
16.25	2612	43.5	9565	70.75	17152	98	22971
16.5	2665	43.75	9635	71	17217	98.25	23004
16.75	2719	44	9706	71.25	17283	98.5	23037
17	2773	44.25	9776	71.5	17348	98.75	23070
17.25	2827	44.5	9846	71.75	17413	99	23101
17.5	2881	44.75	9917	72	17479	99.25	23133
17.75	2936	45	9987	72.25	17544	99.5	23163
18	2991	45.25	10057	72.5	17608	99.75	23193
18.25	3046	45.5	10128	72.75	17673	100	23222
18.5	3102	45.75	10198	73	17737	100.25	23251
18.75	3158	46	10269	73.25	17802	100.5	23278
19	3214	46.25	10339	73.5	17866	100.75	23305
19.25	3270	46.5	10410	73.75	17930	101	23332
19.5	3327	46.75	10481	74	17994	101.25	23357
19.75	3384	47	10551	74.25	18058	101.5	23381
20	3441	47.25	10622	74.5	18121	101.75	23405
20.25	3498	47.5	10693	74.75	18185	102	23428
20.5	3556	47.75	10763	75	18248	102.25	23450
20.75	3613	48	10834	75.25	18311	102.5	23470
21	3671	48.25	10905	75.5	18374	102.75	23490
21.25	3730	48.5	10976	75.75	18436	103	23508
21.5	3788	48.75	11047	76	18499	103.25	23525
21.75	3847	49	11117	76.25	18561	103.5	23540
22	3906	49.25	11188	76.5	18623	103.75	23555
22.25	3965	49.5	11259	76.75	18685	104	23568
22.5	4024	49.75	11330	77	18747	104.25	23580
22.75	4084	50	11401	77.25	18809	104.5	23591
23	4144	50.25	11472	77.5	18870	104.75	23600

Gauge Table for WCHX 23304							
OUTAGE (inches)	GALLONS	OUTAGE	GALLONS	OUTAGE	GALLONS	OUTAGE	GALLONS
23.25	4204	50.5	11543	77.75	18931	105	23609
23.5	4264	50.75	11614	78	18992	105.25	23617
23.75	4325	51	11684	78.25	19053	105.5	23624
24	4385	51.25	11755	78.5	19114	105.75	23629
24.25	4446	51.5	11826	78.75	19174	106	23634
24.5	4507	51.75	11897	79	19234	106.25	23638
24.75	4568	52	11968	79.25	19294	106.5	23642
25	4630	52.25	12039	79.5	19354	106.75	23644
25.25	4691	52.5	12110	79.75	19414	107	23646
25.5	4753	52.75	12181	80	19473	107.25	23648
25.75	4815	53	12252	80.25	19532	107.5	23648
26	4877	53.25	12322	80.5	19591	107.75	23649
26.25	4940	53.5	12393	80.75	19650	108	23649
26.5	5002	53.75	12464	81	19708		
26.75	5065	54	12535	81.25	19767		
27	5128	54.25	12606	81.5	19825		